



Versatile



Up to 40 pages per minute

Powerful 350 MHz processor

Targeted application solutions

Lexmark T632



Lexmark T632(n)



Lexmark T632tn



Lexmark T632dtn



Lexmark T632dtnf

Versatile and expandable

Up to 200,000 pages per month duty cycle offers the highest duty cycle in its class

Expandable media-handling options provide additional flexibility

Low management and operating costs

New extra high-yield cartridge can print up to 32,000 pages before requiring a replacement

MarkVision™ software allows efficient device management

Customized business applications

New multifunction options add the convenience of copy, fax and color network scanning capabilities

Direct PDF printing and two new standard fonts leverage technology

Document solutions suite can help manage information in less time

Versatile workgroup laser printer that handles complex output close to your workspace.

Lexmark T632, T632n, T632tn, T632dtn, T632dtnf

Part Number	US/Canada 10G0300 (T632), 10G0400 (T632n), 10G1400 (T632tn), 10G1430 (T632dtn), 10G1460 (T632dtnf)		
Technology	Monochrome laser		
Speed	Up to 40 ppm		
Resolution	1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi		
Time to First Page	< 10 seconds		
Processor	350 MHz		
Memory Standard Maximum	64MB 320MB		
Connectivity Standard Optional	Bidirectional parallel port and USB port (T632), 10BaseT/100BaseTX Ethernet and USB on "n" models. One expansion slot for optional internal print servers or optional connections MarkNet™ X2000 series of external print servers, MarkNet N2000 series of internal print servers, RS-232C Serial Interface Card, Parallel 1284-B Interface Card, 802.11b Wireless Print Adapter ("n" models)		
Operating Systems	Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS For a complete list, visit www.lexmark.com		
Emulations	PostScript 3 emulation, PCL 6 emulation, PPDS Migration Tool, PDF v1.2/v1.3 emulation		
Fonts	PostScript 3 emulation, 158 scalable PCL 6 emulation, 84 scalable – 2 bitmapped PPDS Migration Tool, 39 scalable – 5 bitmapped Additional PCL 5e scalable fonts include: Code 3 of 9, OCR-A, OCR-B		
Paper Handling Standard Optional	<u>All models:</u> 100-sheet manual input feeder, 500-sheet input drawer and 500-sheet output bin <u>T632tn:</u> second 500-sheet input drawer <u>T632dtn, T632dtnf:</u> duplex unit <u>T632dtnf:</u> StapleSmart™ finisher <u>All models:</u> 250-sheet input drawer, 250-sheet input tray, 500-sheet input drawer, 500-sheet input tray, 2,000-sheet input drawer, output expander, envelope input feeder, 5-bin output mailbox <u>T632, T632n:</u> duplex unit <u>T632, T632n, T632dtn:</u> StapleSmart finisher, high-capacity output stacker		
Paper Capacity (sheets) Standard input Maximum input Standard output Maximum output	<u>T632, T632n</u> 600 4,100 500 3,000	<u>T632tn, T632dtn</u> 1,100 4,100 500 3,000	<u>T632dtnf</u> 1,100 4,100 1,250 3,000
Paper Sources Standard input Maximum input Standard output Maximum output	<u>T632, T632n</u> 2 7 1 11	<u>T632tn, T632dtn</u> 3 7 1 11	<u>T632dtnf</u> 3 7 2 11
Multifunction Options	Lexmark 3100 MFP option, Lexmark 3200 MFP option or Lexmark X4500 MFP option		
Media Types	Plain paper, bond, envelopes, card stock, transparencies, paper labels, dual-web labels, polyester labels, vinyl labels		
Media Sizes	Letter, legal, A5, JIS B5, statement, executive, universal, folio and envelopes (7 3/4, 9, 10, DL, C5, B5)		
Media Weights	Plain paper: 16 to 47 lb (60 to 176 g/m²); card stock: up to 110 lb Index (199 g/m²)		
Size/Weight (W x D x H)	T632: 17.2 in. x 20.2 in. x 16 in. (436 mm x 513 mm x 406 mm)/41.5 lb. (19 kg) T632n: 17.2 in. x 20.2 in. x 16 in. (436 mm x 513 mm x 406 mm)/41.5 lb. (19 kg) T632tn: 17.2 in. x 20.5 in. x 21 in. (436 mm x 521 mm x 535 mm)/48.5 lb. (22 kg) T632dtn: 17.2 in. x 27.8 in. x 23.1 in. (436 mm x 655 mm x 588 mm)/59.8 lb. (27 kg) T632dtnf: 18.6 in. x 27.8 in. x 32.7 in. (473 mm x 655 mm x 830 mm)/71.3 lb. (32 kg)		
Acoustics	54 dBA printing; 32 dBA idle		
Supplies¹	Ships with: 21,000-page Return Program Print Cartridge Optional supplies: 5,000-page Return Program Print Cartridge 5,000-page Print Cartridge 21,000-page High Yield Return Program Print Cartridge 21,000-page High Yield Return Program Print Cartridge for Labels 21,000-page High Yield Print Cartridge 32,000-page Extra High Yield Return Program Print Cartridge 32,000-page Extra High Yield Print Cartridge 32,000-page Extra High Yield Return Program Print Cartridge for Labels		
Duty Cycle	Up to 200,000 pages per month		
Warranty	1-year LexExpress sm		

¹ Yield is based on approximately 5% coverage

Order Information Chart

Part No.	UPC	Description
US/Canada		
10G0300	7-34646-53300-3	Lexmark T632
10G0400	7-34646-53400-0	Lexmark T632n
10G1400	7-34646-53800-8	Lexmark T632tn
10G1430	7-34646-53830-5	Lexmark T632dtn
10G1460	7-34646-53860-2	Lexmark T632dtnf
SUPPLIES		
Print Cartridges*		
12A7360	7-34646-11809-5	5,000-page Print Cartridge
12A7460	7-34646-11812-5	5,000-page Return Program Print Cartridge
12A7362	7-34646-11810-1	21,000-page High Yield Print Cartridge
12A7462	7-34646-11813-2	21,000-page High Yield Return Program Print Cartridge
12A7468	7-34646-11815-6	21,000-page High Yield Return Program Print Cartridge for Labels
12A7365	7-34646-11811-8	32,000-page Extra High Yield Print Cartridge
12A7465	7-34646-11814-9	32,000-page Extra High Yield Return Program Print Cartridge
12A7469	7-34646-11816-3	32,000-page Extra High Yield Return Program Print Cartridge for Labels
Media and Other		
70X7240	7-34646-03810-2	Transparencies (Letter)
12A5010	7-34646-13899-4	Transparencies (A4, 50 sheets)
11K3188	7-34646-20993-9	Staple Cartridges
56P1409	N/A	Routine Maintenance Kit
OPTIONS AND FEATURES		
Paper Handling Options		
11K0681	7-34646-28600-8	250-Sheet Drawer
11K0688	7-34646-28601-5	500-Sheet Drawer
11K1059	7-34646-28609-1	250-Sheet Tray
11K1060	7-34646-28610-7	500-Sheet Tray
11K0718	7-34646-28602-2	2000-Sheet Drawer (Letter)
10G0801	7-34646-24998-0	T 500-Sheet Duplex Unit
11K0720	7-34646-28604-6	T Envelope Feeder
11K0723	7-34646-28607-7	T Output Expander
11K1440	7-34646-28611-4	T High-Capacity Output Stacker
11K0724	7-34646-28608-4	T 5-Bin Mailbox
11K2800	7-34646-24480-0	T StapleSmart Finisher
11K1878	7-34646-28626-8	250-Sheet Universally Adjustable Drawer
11K1574	7-34646-28625-1	250-Sheet Universally Adjustable Tray
11K1942	7-34646-39706-3	400-Sheet Universally Adjustable Drawer
11K1941	7-34646-39707-0	400-Sheet Universally Adjustable Tray
Memory Options		
16H0055	7-34646-24755-9	8MB SDRAM
16H0056	7-34646-24756-6	16MB SDRAM
16H0057	7-34646-24757-3	32MB SDRAM
16H0058	7-34646-24758-0	64MB SDRAM
16H0059	7-34646-24759-7	128MB SDRAM
11K4616	7-34646-12127-9	16MB Flash Card
11K4632	7-34646-12128-6	32MB Flash Card
11K4603	7-34646-12125-5	20 + GB Hard Disk with Adapter

Part No.	UPC	Description
APPLICATIONS SOLUTIONS		
Optra Forms Solutions		
11N0052	7-34646-20732-4	Optra Forms™ Director
11N0040	7-34646-20731-7	Optra Forms Software
11N0056	7-34646-30810-6	Optra Forms Manager
10G0748	7-34646-12146-0	Optra Forms 32MB Flash Card
10G0747	7-34646-12145-3	Optra Forms 16MB Flash Card
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
10G0749	7-34646-12147-7	Optra Forms 20 + GB Hard Disk with Adapter
Other Options		
10G0155	7-34646-12137-8	T630/T632 ImageQuick™ Card
10G0156	7-34646-12138-5	T630/T632 Bar Code Card
10G0157	7-34646-12139-2	T630/T632 Card for IPDS and SCS/TNe
10G0158	7-34646-12140-8	T630/T632 PrintCryption™ Card
NETWORK CONNECTIONS		
Internal Print Servers**		
14S0000	7-34646-12115-6	MarkNet™ N2100t Token-Ring
14S0020	7-34646-12116-3	MarkNet N2101e Ethernet 10/100BaseTX
External Print Servers		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTx – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTx/10Base2 – 1-port
46D0020	7-34646-30357-6	MarkNet X2031e Ethernet 10/100BaseTx – 3-port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-port
OTHER ATTACHMENT OPTIONS		
Adapters		
11K4601	7-34646-12069-2	Parallel 1284-B Interface Card
11K4602	7-34646-12068-5	RS-232C Serial Interface Card
1368705	7-34646-11309-0	External Serial Adapter
11K4120	7-34646-24573-9	Coax/Twinax Adapter for SCS
1010025	7-34646-11802-6	802.11b Wireless Print Adapter
Cables		
1329605	0-87944-09056-4	10-Foot Parallel Printer Cable
12A2405	7-34646-18340-6	2-Meter USB Printer Cable
1038693	7-34646-21649-4	50-Foot Serial Printer Cable
MULTIFUNCTION SOLUTIONS		
Furniture		
16C0379	7-34646-12084-5	Low Profile Printer Stand
16C0369	7-34646-12083-8	Printer Stand with Cabinet
16C0389	7-34646-12085-2	Printer Stand
16C0399	7-34646-12086-9	Scanner Stand with Cabinet
10G1000	7-34646-38372-1	T632/T634 Scanner Shelf
10G1021	7-34646-38373-8	T63x Operator Panel Cover
10G0080	7-34646-38371-4	Lexmark T Printer Base
Multifunction Options		
20R0020	7-34646-38276-2	Lexmark 3100 MFP Option
20R0080	7-34646-38312-7	Lexmark 3200 MFP Option
16C0100	7-34646-37085-1	Lexmark X4500 MFP Option

*Yield is based on approximately 5% print coverage

**Requires one internal solutions port



Lexmark, Lexmark with diamond design, MarkNet, MarkVision and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. ImageQuick, PrintCryption and StapleSmart are trademarks of Lexmark International, Inc. LexExpress is a service mark of Lexmark International, Inc. © Copyright 2003. Lexmark International, Inc. All rights reserved.

71K-6377

LEXMARK
TM